GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services – PR&RD Department – RWS&S- Allegations in execution of CPWS Scheme to Rajubangarupalem and 13 other habitations in Prakasam District and CPWS Scheme to Pedaganjam and 9 other habitations in Prakasam District"- Disciplinary proceedings against the then Sri K.Ram Mohan Rao, Deputy Executive Engineer (FAC) RWS&S, Parchur under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 - Article of Charges - Orders - Issued

== = = = = = = = = = == = = = = = == = = = = = = = = = = = = =

PANCHAYAT RAJ & RURAL DEVELOPMENT (Vig. VI) DEPARTMENT

G.O.RT.No. 462 Dated: 04-07-2017

Read:

From the Chief Enginee-IV(V&QC), RWS&S,A.P, Vijayawada Lr.No.AE/DEE/ V&QC/ CPWSS to Rajubangarupalem/2016, dt.08.11.2016.

ORDER:

It is proposed to hold an inquiry against Sri K.Ram Mohan Rao, the then Deputy Executive Engineer (FAC) RWS&S, Parchur in accordance with the procedure laid down in Rule 20 of Andhra Pradesh Civil Services (classification, control and appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the inquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I). A statement of imputations of misconduct or misbehavior in support of the Article of Charges framed against Sri K.Ram Mohan Rao, the then Deputy Executive Engineer (FAC) RWS&S, Parchur is enclosed(Annexure-II). A list of documents by which, and a list of witnesses by whom, the articles of charge are proposed to be sustained are also enclosed (Annexure III and IV).

3. Sri K.Ram Mohan Rao, the then Deputy Executive Engineer (FAC) RWS&S, Parchur is directed to submit a Written statement of her defence within 10 days of the receipt of this order.

4. Sri K.Ram Mohan Rao, the then Deputy Executive Engineer (FAC) RWS&S, Parchur is informed that an inquiry will be held only in respect of those articles of charge as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri K.Ram Mohan Rao, the then Deputy Executive Engineer (FAC) RWS&S, Parchur is further informed that if he does not submit his written statement of defence on or before the date specified in para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Andhra Pradesh Civil Services (CC&A) Rules, 1991 or the orders/directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against her ex parte.

6. Attention of K.Ram Mohan Rao, the then Deputy Executive Engineer (FAC) RWS&S, Parchur is invited to Rule 24 of the Andhra Pradesh Civil Services(Conduct) Rules1964, under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matter pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that K.Ram Mohan Rao, the then Deputy Executive Engineer (FAC) RWS&S, Parchur is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of rule 24 of Andhra Pradesh Civil Services(Conduct) Rules, 1964.

7. The receipt of the order be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

DR.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT

To

K.Ram Mohan Rao, the then Deputy Executive Engineer (FAC) RWS&S, Parchur through Engineer-in-Chief, Rural Water Supply & Sanitation Department, Gollapudi,Vijayawada.

(P.T.O)

The Engineer in Chief, Rural Water Supply & Sanitation,
Vashuda Shelters, Saipuram colony road, one centre, Gollapudi,
Vijayawada (with a request to serve the charges to the
individual and furnish a served copy to Govt.,)
SF/SC.

//FORWARDED::BYORDER//

SECTION OFFICER

ANNEXURE - I

Statement showing the article of charges framed against K.Ram Mohan Rao, the then Deputy Executive Engineer (FAC) RWS&S, Parchur.

CHARGE1:

That Sri K.Ram Mohan Rao, the then Deputy Executive Engineer (FAC) RWS&S, Parchur during his tenure has not followed head to tail approach and grounded the works without obtaining the required permissions and without getting approvals of designs of SS tank violated all the instructions such as maintenance of quality control registers, log of hydraulic test pressure of pipes etc. given by the Department during execution of works, such as summer storage tank, transmission lines and other components resulting the total two projects become unfruitful.

2. Thus, Sri K.Ram Mohan Rao, the then Deputy Executive Engineer (FAC) RWS&S, Parchur by his above mentioned acts has exhibited lack integrity, devotion to duty and conduct unbecoming of Government Servant and thereby contravened the rules 3(1) &3(2) of A.P.C.S.(Conduct) Rules,1964.

DR.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT

SECTION OFFICER

ANNEXURE II

Statement of Imputations of Misconduct in support of the Articlie of Charges framed against Sri K.Ram Mohan Rao, the then Deputy Executive Engineer (FAC) RWS&S, Parchur.

As per the report of the Chief Engineer-IV,RWS&S, vide his letter dt:8.11.2016, the Superintending Engineer, RWS&S,Ongole inspected the works CPWS Scheme to Rajubangarupalem and 13 other habitations in Prakasam District and CPWS Scheme to Pedaganjam and 9 other habitations in Prakasam District sanctioned under 13th Finance Commission Grant and observed that Sri K.Ram Mohan Rao, the then Deputy Executive Engineer (FAC) RWS&S, Parchur grounded the works without taking over of the site from the competent authorities and without approval of designs of the bund cross sections and key trench and executed the works without obtaining soil analysis reports for the cahnded location of site . It was also reported while laying the pipe lines not followed the head tail approach, so that the scheme become infructuous and not functional.

2. From the above, it is evident that he has shown Gross negligence while discharging his Legitimate Duties and violated Rule 3 (1) & 3 (2) of APCS (CC&A) Rules, 1964.

DR.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT

SECTION OFFICER

ANNEXURE - III

List of the documents by which the Article Charges framed against Sri K.Ram Mohan Rao, the then Deputy Executive Engineer (FAC) RWS&S, Parchur.

Chief Engineer-IV(V&QC), RWS&S,A.P, Vijayawada, Lr.No.AE/ DEE/V&QC/CPWSS to Rajubangarupalem/ 2016,dt.08.11.2016.

DR.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT

SECTION OFFICER

ANNEXURE - IV

List of witnesses by which the Article Of Charges are framed against Sri K.Ram Mohan Rao, the then Deputy Executive Engineer (FAC) RWS&S, Parchur.

- NIL- -

DR.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT

SECTION OFFICER